


Poultry Specialities....



IHC International Health Care Limited
ANIMAL HEALTH CARE DIVISION

Factory : 54-3-14/A, Opp.Telephone Exchange,Phase III, Autonagar,
Vijayawada-520 007, Andhra Pradesh, INDIA. Tel : +91 866 2476577
e-mail : ihclimited@yahoo.com website: www.internationalhealthcare.in



Mos Tox

BROAD SPECTRUM MOULD INHIBITOR CUM TOXIN BINDER

Composition :

MOSTOX is a highly specialised formula with Mannan oligo saccharides (MOS)
Organic acids
Hydrated sodium calcium
Allumino Silicates (HSCAS)
Activated Charcoal
Herbal liver stimulants
Bacillus subtilis

Dosage :

Routine use : 500 gm - 1kg. / ton of feed.
During risk conditions like excess moisture, suspected mold growth etc. 2kg / ton of feed (or) as advised by a veterinarian.

Presentation :

25 kg. bag

Benefits / Indications :

1. Controls excess moisture in the finished feed.
2. Broad spectrum mould inhibitor
3. Selective toxin adsorbant and not adsorbs vitamins, minerals and other feed additives.
4. No interference with other feed additives.
5. Improves liver function and prevents fatty liver syndromes.
6. Prevents the multiplication of pathogenic bacteria in the gut.
7. Helps for non interrupted growth and stable egg production.

Indications :

- As a routine toxin binder cum mold inhibitor in feeds.
- During suspected excess moisture in feed.
- During suspected mold growths in feed.
- For uninterrupted performance in terms of growth, egg production etc.



Ammonil

FOR CONTROL OF AMMONIA PRODUCTION IN THE BIRDS AND FARMS

Composition :

Ammonil is a blend of yucca schidigera (Natural gas adsorbant) and bacillus subtilis (Beneficial bacteria)

Benefits :

1. Adsorbs the ammonia gas produced in the intestine itself and expels out.
2. Expelled ammonia will be in the bound form and will not cause harm to environment.
3. Prevents the production of ammonia in the gut.
4. Birds feel comfort and feels nil stress.
5. Birds maintains good health, immunity, growth, body weights, egg productions etc.
6. Prevents formation of noxious odours in the farm.

Indications :

1. As a routine ammonia control feed additive.
2. As a performance booster.

Dosage :

100 gms. / ton of feed first 10 days later followed by 50gms. / ton of feed continuously (or) as advised by a veterinarian.

Presentation :

1kg. pouch



Renil

FOR PREVENTION & CONTROL OF GOUT

Composition :

Each 10ml. contains :	
Sodium hydrogen carbonate	: 1.5 gm.
Ammonium chloride	: 1.0 gm.
Ascorbic acid	: 0.5 gm.
Citosodine	: 1.0 gm.
Halite	: 1.0 gm.
Buffers & stabilizers	: Q.S.

Benefits :

- Helps for prevention and treatment of...
 - ☛ Visceral Gout
 - ☛ Articular Gout
 - ☛ Urolithiasis
 - ☛ Ascitis
- Prevents digestive abnormalities.
- Helps for normal functions of kidneys.

Dosage : Poultry : Drinking water


Preventive use : 1ml/ Litter of water 2-3 weeks

Treatment use : 2ml/ 1Litter of water 7-10days

(or) as advised by a veterinarian

Presentation :

1ltr., 500ml., plastic container



Promi Boost

GROWTH PROMOTER AND PERFORMANCE BOOSTER

Composition :

Each 30 ml. / 30 gms. contains	
Protein hydrolysate	: 5.0 gm.
DL Methionine	: 2.53 gm.
L-Lysine	: 1.36 gm.
Inositol	: 120 mg.
Vitamin B ₁₂	: 100 mcg.
Vitamin E	: 25 mg.
Yeast Extract	: 250 mg.
Choline Chloride	: 1250 mg.
Sodium	: 2.7 gm.
Phosphorus	: 9 mg.
Magnesium	: 0.03 gm.
Manganese	: 1.65 gm.
Zinc	: 0.68 gm.
Copper	: 45 mg.
Iron	: 0.23 gm.
Iodine	: 22.5 mg.
Cobalt	: 25 mg.
Selenium	: 10 mg.

Layers :

- ☛ Helps for better size eggs
- ☛ Helps for increase of egg production.
- ☛ Helps for persistency in egg production
- ☛ Improves general health.

Breeders :

- ☛ Helps for more hatchability and fertility
- ☛ Helps for better egg productions, Improves general health.

Dosage : Liquid :

Poultry	: 7days in each month.
Layers	: Chicks, Growers : 10 ml. / 100 birds.
Layers	: 20 ml. per 100 birds
Broilers & Breeders	: 20-30 ml./100 birds

Powder : Regular use : 500 gms. / ton of feed.

Treatment use : 1kg. / ton of feed 7-10 days

(or)as advised by a veterinarian

Benefits :

Broilers :

- ☛ Helps for fast growths and higher body weights.
- ☛ Improves general health

Presentation :

Liquid : 1ltr., 5ltrs., plastic containers

Powder : 1kg., pouch, 25kg. bag.



Sure

FEED ATTRACTANT & PERFORMANCE BOOSTER

Composition :

Sure is a mixture of pure cod liver oil and pure squid liver oil fortified with vitamins and enzymes.

Benefits :


1. Sure is a best attractant, provides rich fishy odour and makes sure of consuming enough feed.
2. Sure supplements natural vitamins and free fatty acids which makes sure of good health & immunity
3. Sure helps the broilers for faster growth and higher body weights.
4. Sure helps the layers for reaching higher peaks and more eggs.
5. Sure helps the breeders to produce its maximum results
6. Sure prevents un even sizes, poor growth, culls formations etc.
7. Sure can be given continuously for continuous and nonstop performance.

Dosage :

Poultry feed : 500 ml. / ton of feed continuously.
(or) as advised by a veterinarian.

Presentation :

20ltrs., 5ltrs., 1ltr. plastic container



E-Mune Plus

LIQUID CONCENTRATE OF VITAMIN E, SELENIUM, BIOTIN & FOLIC ACID FOR BETTER IMMUNITY, BETTER GROWTH, BETTER PERFORMANCE

Composition : Each 100 ml. contains:

Vitamin E	: 2500 mg
Selenium	: 10 mg
Biotin	: 20 mg
Folic acid	: 20 mg
Excipients	: Q.S

Benefits :

1. Helps for better function and utilization of vaccines.
2. Increases immunity to its maximum.
3. Relieves from the stress factors.
4. Prevents neuro-muscular diseases.
5. Can be given as a supportive therapy during outbreaks of immuno suppressive disease like IBD, Mycotoxicosis etc.


Dosage : Per 100 birds

Chicks & Broiler starters	: 5 ml
Growers, Layers, Broiler finishers	: 10 ml
Breeders	: 20 ml

(or) as advised by a veterinarian.

Presentation :

1ltr. plastic container



Eggron

FOR MORE & BETTER EGG PRODUCTIONS BREEDERS & LAYERS SPECIAL

Composition :

Chromium yeast, Zinc fortified with other minerals and herbal preparations.

Benefits :

Layers and Breeders:

1. Helps for continuous lay of eggs.
2. Increases egg numbers and even egg size too.
3. Maintains peak productions for longer times.
4. Improves general wealth, immunity.


Dosage :

Commercial layers : 500 gms / ton of feed continuously.

Breeders : 1 kg/ton of feed continuously.

Presentation :

1kg. pouch, 25kg. bag



Vacci-care

HERBAL IMMUNISER & STRESS RELIEVER

Composition :

Special selective herbal preparations having properties of cell activations, building of immunity, and stress relief.

Main herbs incorporated are : Ashwagandha, Brahmi, Chitrak, Camellia Sinensis, Phyllanthus emblica, withania somnifera etc.

Benefits :

1. Helps for better function and utilization of vaccines.
2. Helps for build of cell mediated immunity.
3. Helps for improvement of general health & performance.
4. Helps for better growth, body weights, egg productions etc

Dosage :

Per 100 birds/day/5-7 days : Every month (or) at the time of vaccinations 2 days before and 3 days later.

Chicks, growers & broiler starters : 3 ml.

Layers & broiler finishers : 5 ml.

Breeders : 7 ml.(or)as advised by a veterinarian.

Presentation :

5ltrs., 1ltr., plastic container



A plus (LIQUID)

VITAMIN A CONCENTRATE SUPPLEMENT

Composition :

Each ml contains:

Vitamin A : 1,00,000 IU

Benefits

1. Covers Vitamin A deficiencies and related symptoms and lesions
2. Maintains optimum health and immunity.
3. Relieves from stress and provides additional strength to tolerate additional stress.
4. Helps to maintain stable egg production with higher peaks in layers.
5. Helps to obtain fast growth and more body weights in broilers.
6. Improves fertility and hatchability in breeders.

Dosage :

Per 100 Birds : 5-7 days

Chicks & Broiler starters : 5ml


Growers, Layers & Broiler Finishers : 10ml

Breeders : 10-20ml

(or) As advised by a veterinarian.

Presentation :

500ml, 1000ml Plastic containers



Liv-On

LIVER STIMULANT, DIGESTANT AND CORRECTANT

Composition :

Special herbal

Liver tonic prepared from selective herbs having functional properties as liver stimulant, correctant and digestant.

Benefits :

1. Improves liver function and helps for better digestion.
2. Corrects liver disorders like fatty livers.
3. Improves feed conversion ratio.
4. Increases growth and body weight.
5. Helps to increase egg production.
6. Maintains optimum health and immunity.
7. Highly useful during antibiotic treatments.

Indications :

- Low feed intake
- Lower egg production
- Mycotoxicosis
- Fatty liver disease
- Hepatitis
- Poor growths
- Poor body weights
- For improving feed utilisation and feed intake.

Dosage : POULTRY : 7-10 days

Liquid :

Chicks and Broilers starters : 10ml / 100 birds

Growers, Layers & Broiler finishers : 20ml / 100 birds

Breeders : 30 ml / 100 birds.

Powder :

Regular use : 500 gms / ton of feed.

Risk condition : 1-2 kg / ton of feed
7-10 days (or) as advised by a veterinarian

Presentation : Liquid : 1ltr., 5ltrs.

Powder : 1kg. pouch, 25kg. bag.



Procid

ACIDIFIER AND CONDITIONER

Composition :

PORCID is a blend of lactic acid producing bacteria, organic acids and electrolytes.

Benefits :

1. Reduces microbial load in the gut.
2. Maintains optimum pH in the crop, proventriculus Gizzard and intestines where digestive process takes place
3. Gut becomes conditioned and active.
4. Very much useful in the conditions like.
 - ☛ Heat stress
 - ☛ Vaccinations, after antibiotic therapy
 - ☛ Loose droppings etc.

Indications :


1. All stress conditions
2. Poor litter condition
3. As a performance booster.

Dosage :

In drinking water : 1 gram in 2 litres of drinking water for 7 days.
In Feed : 1-2 kg. /ton of feed 7-10 days.

Presentation :

Feed Grade : 1kg. pouch
Water Soluble grade : 200gm., 500gm., 1kg. plastic tins.



Lactoplus

DIRECT FEED MICROBIAL PROBIOTIC FED ADDITIVE

Composition :

Each kg. contains
Lactobacillus acidophilus
Lactobacillus bulgaricus
Lactobacillus Casei
Lactobacillus reuteri
Lactobacillus Lactis
Streptococcus faecium
Aspergillus oryzae
Saccharomyces cerevisiae

Strength :

32 billion cfu for 100 grams of lactoplus.

Benefits :

1. Improves feed conversion ratio (FCR)
2. Prevents bacterial disease outbreaks.
3. Avoids loose droppings.
4. Litter quality improved with low levels of nitrogen and ammonia
5. Increases survival rate
6. Helps to gain more body weights in broilers.
7. Helps to yield more eggs in layers.
8. Reduces medicinal expenditure.
9. Maintains normal intestinal pH.

Indications :


- ☛ As routine probiotic feed additive.
- ☛ For uninterrupted growth, body weights, egg quality, egg production
- ☛ For better quality manure
- ☛ As a performance booster.

Dosage :

Poultry feed : 100 gm. / ton of feed
(or) as advised by a veterinarian.

Presentation :

1kg. pouch



Zymix

MULTI ENZYME FEED ADDITIVE

Composition : Each kg. contains
Zymix is a highly specialised formula with enzymes like...

Xylanase : 2,00,000 IU
Pectinase : 42,500 IU
Cellulase : 40,000 IU
Phytase : 40,000 IU
Protease : 20,000 IU
Amylase : 20,000 IU
Beta Glucanase : 20,000 IU
Lipase : 12,500 IU
S.Cervisiae : 5000 million CFU
L.Acidophilus : 5000 million CFU
...and beneficial like saccharomyces cervisiae, lactobacillus acidophilus.

Benefits :

- Helps for
 - Better FCR
 - Better Digestion
 - Better feed utilisation
 - Better health & immunity
 - Better growth & body weight
 - Better egg production.

- Prevents and controls loose droppings.
- Provides comfort in the gut.

Indications :


- As a routine enzyme feed additive.
- Poor growth
- Lower body weights
- Lower egg productions
- Loose droppings
- To get an interrupted performance

Dosage :

250-500 gm / ton of feed continuously
(or) as advised by a veterinarian.

Presentation :

1kg. pouch, 25kg. drum / Bag



Fightase

PHYTASE ENZYME - FEED ADDITIVE

Composition : Each gm. contains
Assyable phytase : 5000 IU

Benefits :

- Increases the phosphorus availability in the feed.
- Releases phytate bound phosphorus from plant feed stuffs.
- Prevents the phosphorus deficiency related symptoms and lesions.
- Improves mineral assimilation.
- Helps for better growth & body weight in broilers.
- Helps for better egg production in layers both in term of quality and quantity.

Dosage : 100 gm. / ton of feed continuously.

Special Note : DCP replacement with phytase should be planned with careful consideration of fish, SFC and DORB contents of feed, age and phosphorus requirements of birds. Avoid over dosing or under dosing. Proper mixing of feed and Fightase-5000 also very important for better results. Always keep the Fightase-5000 in air tight containers after usage.

Indications :

- As a routine feed additive to supplement extra phosphorus or to utilise maximum phosphorus from feed stuffs.
- Phosphorus deficiency symptoms.

Presentation :

1kg. pouch, 25kg. / 50kg. plastic drums



Cooltrol

ELECTROLYTE SUPPLEMENT

Composition : Each kg. Contains

Sodium Chloride	: 10,000 mg.
Calcium Lactate	: 12,000 mg.
Calcium Gluconate	: 12,000 mg.
Sodium Bicarbonate	: 30,000 mg.
Sodium Citrate	: 60,000 mg.
Ascorbic acid	: 10,000 mg.
Potassium chloride	: 30,000 mg.
Magnesium sulphate	: 10,000 mg.
Elemental sodium	: 10,000 mg.
Elemental potassium	: 30,000 mg.
Dextrose Monohydrate upto	: 1000 gms.

Indication :

1. As an energy booster
2. During antibiotic therapy
3. During all stress conditions mainly in summer.

Dosage :

In drinking water : 7-10 days. 1 gm. per 1ltr. of drinking water
In feed : 1kg. per ton of feed.

Presentation :

1kg. plastic tin

Benefits :

1. Very much helpful in the following conditions :
 - ☛ Heat stress
 - ☛ Dehydration
 - ☛ Disease
 - ☛ Transportation
 - ☛ Vaccinations
 - ☛ Debeaking
 - ☛ Deworming
 - ☛ Production slumps etc.
2. Provides instant energy and makes the birds active.



Stress Mate

VITAMINS AD₃EC PREMIX

Composition : Each 5ml. contains

Vitamin A	: 2,50,000 IU
Vitamin D ₃	: 25,000 IU
Vitamin E	: 150 mg
Vitamin C	: 500 mg.
Protein hydrolysate	: 10 mg.

Dosage : 7-10 days

Chicks & Broilers starters : 3ml / 100 birds
Growers, Layers & Broilers finishers : 5-10 ml / 100 birds
(or) as advised by a veterinarian.

Presentation :


500 ml., 1000 ml., plastic containers

Benefits :

1. Highly useful in the following stress condition
 - ☛ Vaccination
 - ☛ Debeaking
 - ☛ Deworming
 - ☛ Handling
 - ☛ Transportation
 - ☛ Disease
 - ☛ Climatic disturbance etc.
2. Improves egg production in layers.
3. Increases growth and body weight in broilers.

Indications :

- ☛ Chicks arrival time
- ☛ All stress causing times.
- ☛ Disease outbreaks
- ☛ Poor growths
- ☛ As a performance booster



Poultrymix (Layer Spl.)

VITAMIN PREMIX FOR LAYERS

Composition : Each kg. Contains :

Vitamin A	: 50 MIU
Vitamin D ₃	: 14 MIU
Vitamin E	: 32 gm
Vitamin K ₃	: 8gm
Vitamin B ₁	: 3.2gm
Vitamin B ₂	: 32gm
Vitamin B ₆	: 6.4 gm
Vitamin B ₁₂	: 0.060gm
Niacin	: 48 gm
Calcium Pantothenate	: 16 gm
Folic Acid	: 5.6 gm
Biotin	: 0.02 gm

Benefits :

1. Covers vitamin deficiencies
2. Helps to maintain
 - Optimum Health
 - Immunity
 - Growth
 - Body Weight
 - Egg Production


Indication :

- As a routine vitamin feed additive
- As a performance booster

Dosage : 250 gm / ton of feed.
(or) as advised by a veterinarian.

Presentation :

1kg. pouch



Poultrymix (Broiler Spl.)

VITAMIN PREMIX FOR BROILER

Composition : Each kg. Contains :

Vitamin A	: 50 MIU
Vitamin D ₃	: 14 MIU
Vitamin E	: 120 gm
Vitamin K ₃	: 8 gm
Vitamin B ₁	: 8 gm
Vitamin B ₂	: 24 gm
Vitamin B ₆	: 16 gm
Vitamin B ₁₂	: 0.06 gm
Niacin	: 120 gm
Calcium Pantothenate	: 60 gm
Folic Acid	: 8 gm
Biotin	: 32 gm
Excipients	: Q.S.

Benefits :

1. Covers vitamin deficiencies
2. Helps to maintain
 - Optimum Health
 - Immunity
 - Growth
 - Body Weight


Indications :

- As a routine vitamin feed additive
- As a performance booster

Dosage : 250 gm / ton of feed.
(or) as advised by a veterinarian.

Presentation :

1kg. pouch



Z-Plus

HERBAL PERFORMANCE BOOSTER ANIMAL FEED SUPPLEMENT

Composition :

Z-Plus is a highly specialized formulation with special selective herbs having functional properties as Nutrient, Digestant, Absorbent, Detoxifier, Fertility booster etc.

Benefits :

Broilers: Helps for more survivals, fast growth, higher body weights, better feed utilisation, and more flock uniformity.

Layers : Helps for more survivals, more egg productions, better quality eggs etc.

Breeders : Helps for more survivals, uniform sexual maturity, better utilisation of feed etc.

Dosage :

Poultry feed : 250Gms / Metric ton of feed continuously
(or) as advised by a veterinarian.

Presentation :

1kg. pouch, 25kg. bag



Relax

HERBAL BRONCHODILATER AND EXPECTORANT ANIMAL FEED SUPPLEMENT

Composition :

Relax is a special herbal preparation selected for selective herbs having functional properties as Bronchodilator and Expectorant.

Benefits :

1. Birds relaxes from respiratory troubles quickly.
2. Highly useful in the treatment of respiratory diseases like CRD, coryza etc as a supportive therapy along with specific treatments.
3. Makes to function total respiratory organs with its full capacity.
4. Birds relaxed well and takes normal quantity of feed to produce normal results.

Dosage :

Per 100 birds : In drinking water 7-10 days each time.

Chicks, Growers, Broiler-Starters : 10ml

Layers and Broiler finishers : 30ml

Breeders : 40ml (or) As advised by a veterinarian.

Presentation :

5ltrs., 1ltr. plastic container



C-Herb

NATURAL VITAMIN C SUPPLEMENT ANIMAL FEED SUPPLEMENT

Composition :

"C" Herb is a special formulation prepared from special selective herbs which are rich source of natural Vitamin C.

Benefits :

1. Helps to increase the disease resistance.
2. Helps to relieve the birds from stress factors.
3. Helps to increase the health and immunity in Layers, Broilers and Breeders.
4. Helps to increase Egg production in layers.
5. Helps to increase the fertility and hatchability in breeders.

Dosage :

Poultry Feed: 250 gm / Metric ton of feed 7 - 10 days each time
(or) as advised by a veterinarian.

Presentation :

1kg. pouch



Breed UP

FOR BETTER FERTILITY AND HATCHABILITY ANIMAL FEED SUPPLEMENT

Composition :

Breed UP is a highly specialized formulation with special selective herbs having the functional ability of enhancing breeding performance.

Benefits :


1. Increases sexual mode
2. Helps for better sperm quantity and quality.
3. Increases fertility and hatchability.
4. Participate in sexual actions more frequently.

Dosage :

Male Breeders: 50-60 gm / 100 birds 5- 7 days every month or as advised by a veterinarian.

Presentation :

1kg. pouch



Add Cal

CALCIUM PREPARATION WITH ACIDIFIER

Composition : Each 100 gms. contains

Elemental calcium	: 3500 mg.
Elemental phosphorus	: 1000 mg.
Vitamin D ₃	: 20,000 IU
Vitamin C	: 500 mg.
Vitamin B ₁₂	: 500 mcg.
Citric acid	: 20000 mg.

Benefits

1. Better utilisation of calcium and phosphorus.
2. Prevents leg weakness, lameness, osteomalacia, perosis, egg breakages, breakages, thin shelled eggs, rough shelled eggs.
3. Increases growth, body weight and bone strength in broilers.
4. Increases egg size, egg quality and egg production in layers.
5. Increases hatchability in breeders.
6. Prevents cage layer fatigue, prolapse, pecking, cannibalism etc.

Indications :

- Legs weakness, lameness
- Poor growths
- Egg breakages, rough shelled eggs, thin shelled eggs.
- Production drops
- Poor feathering

- Poor hatchability
- Pecking and cannibalism
- Cage layer fatigue
- Prolapse etc.

Dosage : In drinking water : 7-10 days
Chicks & broilers starters : 7-10 gms. / 100 birds


Growers, layers & broilers finishers :
20-25 gms / 100 birds

Breeders : 30-35 gms. / 100 birds
In feed : 250 gms / ton of feed continuously

During risk conditions : 500gms. - 1kg.
/ ton of feed (or) as advised by a veterinarian.

Presentation :

500 gms. 1kg. plastic tin



Mycocin

ANTIBIOTIC FEED SUPPLEMENT

Composition :

Each Kg. Contains

Erythromycin Thiocyanate : 20 gms.

Carrier : Q.S.

Benefits :

1. Acts as best growth promoter.
2. Prevents the occurrence of CRD.
3. Helps the birds not to feel stress.

Dosage :

Regular dose : 250 gm. / ton of feed.

Periodical Dose : 500 gm. / ton of feed 7 days in a month.


Suspected CRD conditions : (only as preventive) 1kg / ton of feed 2 weeks.
(or) as advised by a veterinarian.

Indications :

- History of incidences of mycoplasma in the premises.
- Early stage of on set of symptoms of mycoplasma.
- As a supportive therapy along with potential anti mycoplasmal agents during outbreaks of mycoplasma infections.

Presentation :

1kg. pouch, 25kg. bag / drum



V-Dox-N

ANTIBIOTIC GROWTH PROMOTER AND FEED CONVERTOR

Composition :

Each kg. contains
Doxycycline Hcl : 20 grams
Neomycin sulphate : 20 grams
Carrier : Q.S.

Benefits :

- Helps for
 - Un interrupted growth
 - Stable egg productions
 - Control of infections at subclinical stage
- Very effective bacteriostat for all gram positive and gram negative bacteria.
- It can be used as a supportive therapy during specific treatment for bacterial / viral / protozoan infections.

Indications :

- As a routine antibiotic growth promoter.
- Poor growths
- Poor body weights
- Production slumps
- As a performance booster.

Dosage :

Regular use : As a growth promoter : 200 gms. / ton of feed.
During risk periods along with specific treatments : 500 gms. / ton of feed (or) as advised by a veterinarian.

Presentation :

1kg., pouch, 25kg. bag / drum



V-Dox

ANTIBIOTIC GROWTH PROMOTER

Composition :

Each kg. contains
Doxycycline HCL : 20 gram

Benefits :

- Helps as best growth promoter
- Helps for better feed conversion
- Very effective bacteriostat against many gram negative and gram positive strains.
- Minimises the bacterial infections at sub clinical phase
- Can be used as a supportive therapy along with specific treatments for all bacterial and viral outbreaks.

Indications :


- As a routine antibiotic growth promoter.
- Poor growths
- Poor body weights
- Production slumps
- As a performance booster.

Dosage :

Regular use : 250 gms / ton of feed as a growth promoter
Risk periods along with specific treatment products : 500 gm / ton of feed (or) as advised by a veterinarian.

Presentation :

1kg. pouch



CoDox

ANTIBIOTIC GROWTH PROMOTER

Composition :

Each kg. contains:

Doxycycline HCL : 10 Gms

Colistin sulphate : 1Gm

Carrier : Q.S.

Benefits :

1. Act as best performance booster.
2. Helps to increase growth and body weight in broiler
3. Helps to increase Fertility and Hatchability in breeders.
4. Improves feed consumption efficiency
5. Reduces non specific mortalities.

Dosage :

1. Broilers: 500 gms / Metric ton of feed continuously from day old to till marketing
 2. Layers: 1 kg / Metric ton of feed - one week in every month.
 3. Breeders: 2 kg/ Metric ton of feed - one week in every month.
- or as advised by a veterinarian .

Presentation :

500 gms., 1kg. pouches.



F-20

FEED SUPPLEMENT FOR BETTER PERFORMANCE

Composition :

Each Kg Contains:

Furazolidone : 200 Gms

Carrier : Q.S.

Benefits :


1. Reduces the incidence of non specific mortalities.
2. Reduces the incidence of acute outbreaks of bacterial diseases.
3. Helps for better growth and body weights in broilers.
4. Helps for increase of Egg production in layers.
5. Helps for better fertility and hatchability in breeders.
6. Improves feed consumption efficiency
7. Helps to prevent and control loose droppings.

Dosage :

1. Broilers: 500 Gms / Metric ton of feed continuously from day one to till cutting.
 2. Layers: 500 Gms / metric ton of Feed - One week in every month
- (or) as advised by a veterinarian

Presentation :

25kg. bag



Quick Growth NS

FEED SUPPLEMENT FOR BETTER PERFORMANCE NON STOP GROWTH PROMOTER

Composition :

Each Kg. Contains

Chlor hydroxy Quinalone: 600 Gms

Benefits :

1. Helps to prevent most of the bacterial, Fungal and protozoan infections.
2. Helps for non stop growth of the birds.
3. Improves feed conversion efficiency.
4. Helps to reduce loose droppings.

Dosage :

Regular use as

Growth promoter : 50 - 100 Gms / metric ton of feed

During stress / mild Infections : 250 gms / metric ton of feed
(or) as advised by an veterinarian

Presentation :

1kg. pouch



TP-10

FEED SUPPLEMENT FOR BETTER PERFORMANCE AND PREVENTION OF CRD

Composition :

Each kg contains

Tylosin Phosphate activity : 100 gms

Carrier : Q.S.

Benefits :

1. Prevents the incidence of CRD
2. Reduces the seriousness of the CRD and its losses
3. Helps to increase growth and body weight in Broilers
4. Helps to increase Egg production in Layers
5. Helps to increase the fertility and hatchability in Breeders

Dosage :

Layers: From 16th week to 42nd week - 500 gms/ metric ton of feed

From 42nd week onwards till culling: 200 gm/metric ton of feed

Broilers: Day one to till culling :200 gms/metric ton of feed

Breeders: From 16th week to till culling 500 gms/metric ton of feed

(or) as advised by a Veterinarian

Presentation :

1kg. pouch



All Mix Forte

ALL IN ONE NUTRITIONAL SUPPLEMENT FOR POULTRY FEEDS

Allmix Forte is a complete nutritious supplement for poultry. It provides required quantities of vitamins, minerals, enzymes, mould inhibitor cum toxin binders digestants etc.

Composition :

Each 5.0 kg contains.

Vitamin A	: 80,00,000 IU
Vitamin D3	: 16,00,000 IU
Vitamin E	: 800 IU
Vitamin K	: 1000 mg
Vitamin B2	: 5000 mg
Vitamin B12	: 10 mg
Niacinamide	: 8000 mg
Calcium Panthothenate	: 2500 mg
Choline Chloride	: 300.0 mg
Calcium	: 760.0 mg
Copper	: 3000 mg
Iodine	: 3000 mg
Iron	: 30,000 mg
Manganese	: 80,000 mg
Zinc	: 80,000 mg
Cobalt	: 600 mg
Selenium	: 150 mg
Enzyme complex	: 100 gm
HSCAS	: 500gm

Benefits :


1. Covers vitamin, mineral deficiencies and related symptoms and lesions.
2. Prevents aflatoxin attacks and avoids related performance disturbances.
3. Stimulates liver and helps for better digestion and absorption of nutrients.
4. Utilises feed efficiently.

Dosage :

5.0 Kg /Metric ton of feed continuously (or) as advised by a veterinarian.

Presentation :

5kg. pouch



Trace Con

TRACE MINERAL CONCENTRATE

Composition :

Each kg. contains

Manganese	: 60 gms.
Zinc	: 55 gms.
Iron	: 55 gms.
Cobalt	: 500 mg.
Copper	: 6000 mg.
Iodine	: 1000 mg.
Selenium	: 100 mg.
Elemental Chromium	: 0.2 gms.

Dosage :

Routine use : 1kg. / ton of feed.

Risk periods :

Double the dose for 2 weeks later 1kg. / ton continuously (or) as advised by a veterinarian.

Presentation :

25 kg. paper laminated bags.

Benefits / Indications :

Prevents :

Leg weakness, lameness, loose shell eggs, thin shell eggs, shell breakage, rough shelled eggs, poor feathering, poor hatchability, poor growth, bone deformities etc.

Improves :

Bone strength, egg quality, egg quantity, growth, body weight, health, activeness, immunity, growth, body weights etc.

Indication :

1. As a routine trace minerals feed additive.
2. During deficiency symptoms of trace minerals like lameness, leg weakness, poor egg shell quality etc.
3. As a performance booster.



LincoVit

PERFORMANCE BOOSTER AND GROWTH PROMOTER

Composition:

Lincomycin Hcl as Lincomycin base : 1.00%
Colistin Sulphate as Colistin base : 1.00%
Vitamin A : 50,000 IU
Vitamin D₃ : 10,000 IU

Benefits:

- Broad spectrum activity and effective on both gram positive and gram negative bacteria.
- Reduces the incidence of bacterial diseases.
- Most suitable to use during viral infections to prevent the bacterial infections.
- Helps to increase the growth, body weight with economical FCR in broilers.
- Helps to increase the egg productions and egg quality in commercial layers.
- Helps to increase the fertility and hatchability in breeders.
- Prevents the diarrhoea of bacterial origins.


Dosage: in Feed:

Broilers : 250 gm./metric ton of feed continuously.
Layers : 250 gm./metric ton - one week/a month continuously since chicks arrival to till culling of the birds.
Breeders : 500 gm./metric ton - one week/a month continuously since chicks arrival time to till culling of the birds.

(or) as advised by a Veterinarian.

Presentation :

10 kg. bag



Aqua-Guard

GRADE ONE DISINFECTANT AND SANITIZER FOR EXCLUSIVE USE IN POULTRY AND DAIRY INDUSTRIES

AQUA-Guard is a proven disinfectant and sanitizer available in the form of tablet.

Water is the best medium for growth of all kinds of microbes. Very often we notice water borne diseases in human beings and animals. If we prevent the source of infections through water we can prevent most of the water borne diseases.

Composition : Each Tablet contains :
Sodium Dichloroisocyanurate

Benefits :

- ❖ Broad spectrum Disinfectant and sanitizer. Very effective for : Both gram positive and gram negative bacteria and majority of viruses, spores, algae and fungi etc.
- ❖ Prevents the chances of occurrence of bacterial and viral diseases.

Special features :

- ❖ Effervescent activity is very fast.
- ❖ Very easy to dissolve after putting in the water.
- ❖ Action is very very quick and starts killing microbes immediately after application.
- ❖ Retains action for more time.

Dosage : Poultry :

In drinking water : 1 tablet for 2500 litres
Vacant Farm / Shed : 1 tab - 25 litres
Foot baths : 1 tab - 10 litres
Vehicles / Farm Equipment : 1 tab - 10 litres
Hatchery & Incubaters : 1 tab - 10 litres
Hatching Eggs : 1 tab - 10 litres
Plastic trays : 1 tab - 10 litres
Fine spraying : 1 tab - 1800 litres
Hand Washing : 1 tab - 100 litres
(or) as advised by a veterinarian

Presentation :

1kg. plastic tin



Products at a Glance....



IHC International Health Care Limited
ANIMAL HEALTH CARE DIVISION

Factory : 54-3-14/A, Opp.Telephone Exchange,Phase III, Autonagar,
Vijayawada-520 007, Andhra Pradesh, INDIA. Tel : +91 866 2476577
e-mail : ihclimited@yahoo.com website: www.internationalhealthcare.in